

Safety data sheet

Page: 1/9

BASF Safety data sheet
Date / Revised: 31.05.2011
Product: **RHEOFIT 1101**

Version: 1.0

(30431848/SDS_GEN_AU/EN)

Date of print 01.06.2011

1. Substance/preparation and company identification

RHEOFIT 1101

Use: Product for construction chemicals

Company:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

HAZARDOUS SUBSTANCE, DANGEROUS GOOD

The product contains: formaldehyde
May produce an allergic reaction.

Irritating to eyes and skin.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Keep out of the reach of children.

Avoid contact with skin.

If swallowed, seek medical advice immediately and show this container or label.

Avoid release to the environment. Refer to special instructions/safety data sheets.

3. Composition/information on ingredients

Chemical nature

Aqueous solution based on: sulphonated and sulphated, surfactants

Hazardous ingredients

Amines, coco alkyl

Content (W/W): $\geq 2.5\%$ - $< 5\%$
CAS Number: 61788-46-3
EC-Number: 262-977-1
Hazard symbol(s): N, C
R-phrase(s): 35, 22, 50/53

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

Content (W/W): $\geq 2.5\%$ - $< 5\%$
CAS Number: 68439-57-6
EC-Number: 270-407-8
Hazard symbol(s): Xi
R-phrase(s): 38, 41

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
See MSDS section 7 - Handling and storage.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.
For large amounts: Pump off product.

7. Handling and Storage

Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

Protection against fire and explosion:

The product does not contribute to the spreading of flames, nor is it self combustible, not explosive. Take precautionary measures against static discharges.

Storage

BASF Safety data sheet
Date / Revised: 31.05.2011
Product: **RHEOFIT 1101**

Version: 1.0

(30431848/SDS_GEN_AU/EN)

Date of print 01.06.2011

Suitable materials for containers: steel, High density polyethylene (HDPE)
Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight. Store protected against freezing.

8. Exposure controls and personal protection

Components with workplace control parameters

no exposure standard allocated

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

| | |
|----------------|-----------------------------------|
| Form: | liquid |
| Colour: | dark brown |
| Odour: | odourless |
| pH value: | 7.0 - 9.0 (23 °C) |
| Boiling point: | >= 100 °C |
| Flash point: | |
| Flammability: | not applicable does not ignite |

BASF Safety data sheet
Date / Revised: 31.05.2011
Product: **RHEOFIT 1101**

Version: 1.0

(30431848/SDS_GEN_AU/EN)

Date of print 01.06.2011

| | |
|----------------------------|---|
| Lower explosion limit: | not applicable |
| Upper explosion limit: | not applicable |
| Self heating ability: | It is not a substance capable of spontaneous heating. |
| Explosion hazard: | not explosive |
| Fire promoting properties: | not fire-propagating |
| Vapour pressure: | not applicable |
| Density: | 0.960 - 1.060 g/cm ³ (23 °C) |
| Bulk density: | not applicable |
| Miscibility with water: | completely soluble |
| Hygroscopy: | Non-hygroscopic |
| Viscosity, dynamic: | not applicable |
| Viscosity, kinematic: | not applicable |
| Solids content: | 6.8 - 7.8 % (BASF method) |

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

The product contains: formaldehyde

May produce an allergic reaction.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Moderately/partially biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Domestic transport:

| | |
|----------------|---------|
| Hazard class: | 9 |
| Packing group: | III |
| ID number: | UN 3082 |

BASF Safety data sheet
Date / Revised: 31.05.2011
Product: **RHEOFIT 1101**

Version: 1.0

(30431848/SDS_GEN_AU/EN)

Date of print 01.06.2011

Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(contains COCOALKYLAMINES)

Further information

Hazchem Code:3Z

IERG Number:47

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(contains COCOALKYLAMINES)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(contains COCOALKYLAMINES)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 Kg or 500 L.

15. Regulatory Information

Poisons Schedule: Not scheduled

Regulations of the European union (Labelling)Directive 1999/45/EC ('Preparation Directive'):

Hazard symbol(s)
Xi Irritant.

R-phrase(s)

BASF Safety data sheet
Date / Revised: 31.05.2011
Product: **RHEOFIT 1101**

Version: 1.0

(30431848/SDS_GEN_AU/EN)

Date of print 01.06.2011

| | |
|-------------|--|
| R36/38 | Irritating to eyes and skin. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| S-phrase(s) | |
| S2 | Keep out of the reach of children. |
| S24 | Avoid contact with skin. |
| S46 | If swallowed, seek medical advice immediately and show this container or label. |
| S61 | Avoid release to the environment. Refer to special instructions/safety data sheets. |

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Registration status:

AICS, AU released / listed

16. Other Information

Due to the merger of Degussa Construction chemicals and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 3:

| | |
|-------|--|
| N | Dangerous for the environment. |
| C | Corrosive. |
| Xi | Irritant. |
| 35 | Causes severe burns. |
| 22 | Harmful if swallowed. |
| 50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| 38 | Irritating to skin. |
| 41 | Risk of serious damage to eyes. |

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.