

# Safety data sheet

Page: 1/9

BASF Safety data sheet

Date / Revised: 13.03.2012

Version: 1.0

Product: **MASTERFLEX PRIMER NO 1 (S)**

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

## 1. Substance/preparation and company identification

### MASTERFLEX PRIMER NO 1 (S)

Use: Product for construction chemicals

Company:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

HAZARDOUS SUBSTANCE, DANGEROUS GOOD

Flammable.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

Keep out of the reach of children.

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

Avoid release to the environment. Refer to special instructions/safety data sheets.

BASF Safety data sheet  
Date / Revised: 13.03.2012  
Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

---

### 3. Composition/information on ingredients

#### Chemical nature

Solution based on: isocyanate, Polymer

#### Hazardous ingredients

Solvent naphtha (petroleum), medium aliph.  
Content (W/W):  $\geq 25\%$  -  $\leq 100\%$   
CAS Number: 64742-88-7  
Hazard symbol(s): Xn  
R-phrase(s): 65

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

---

### 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If breathing difficulties develop, aid in breathing and seek immediate medical attention.

On skin contact:

Wash thoroughly with soap and water. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink plenty of water. Do not induce vomiting due to aspiration hazard. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, alcohol-resistant foam

BASF Safety data sheet  
Date / Revised: 13.03.2012  
Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

Unsuitable extinguishing media for safety reasons:  
water jet

Specific hazards:  
See MSDS section 7 - Handling and storage.

Special protective equipment:  
Wear a self-contained breathing apparatus.

Further information:  
The degree of risk is governed by the burning substance and the fire conditions. Containers may rocket or explode in heat of fire. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:  
Use personal protective clothing. Avoid prolonged inhalation. Avoid contact with the skin, eyes and clothing. Avoid all sources of ignition: heat, sparks, open flame.

Environmental precautions:  
Prevent spread over a wide area (e.g. by containment or oil barriers). Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:  
For large amounts: Pump off product.  
For residues: Pick up with inert absorbent material (e.g. sand, earth etc.). Correctly dispose of recovered product immediately.

---

## 7. Handling and Storage

### Handling

Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking. Provide good room ventilation even at ground level (vapours are heavier than air).

Protection against fire and explosion:  
Sources of ignition should be kept well clear. Take precautionary measures against static discharges. Substance/product can form explosive mixture with air. Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.

### Storage

Suitable materials for containers: High density polyethylene (HDPE), tin (tinplate)  
Further information on storage conditions: Keep container tightly closed and in a well-ventilated place. Keep away from heat. Avoid all sources of ignition: heat, sparks, open flame.

BASF Safety data sheet  
Date / Revised: 13.03.2012  
Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

Protect from temperatures below: 5 °C  
Protect from temperatures above: 35 °C

---

## 8. Exposure controls and personal protection

### Components with workplace control parameters

The substances without values are not listed in the occupational exposure regulations for the validity area of this safety data sheet.

no exposure standard allocated

### Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point <65 °C, f.e. EN 14387 Type AX)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other  
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure., Antistatic apron

General safety and hygiene measures:

Avoid inhalation of dusts/mists/vapours. Avoid contact with the skin, eyes and clothing. Avoid prolonged and/or repeated contact with the skin. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

---

## 9. Physical and Chemical Properties

Form:	liquid
Colour:	black
Odour:	characteristic
pH value:	not applicable

BASF Safety data sheet  
Date / Revised: 13.03.2012  
Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

Melting point:	
Boiling point:	not applicable 140 °C
Flash point:	approx. 45 °C
Flammability:	not self-igniting
Lower explosion limit:	not available
Upper explosion limit:	not available
Self ignition:	Temperature: > 300 °C
Explosion hazard:	not explosive
Vapour pressure:	The product has not been tested.
Density:	0.88 - 0.91 g/cm <sup>3</sup> (30 °C)
Relative density:	not applicable approx. 1.0 (25 °C)
Bulk density:	not applicable
Solubility in water:	insoluble
Viscosity, dynamic:	> 60 mPa.s

**Other Information:**

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

**Conditions to avoid:**

See MSDS section 7 - Handling and storage.

Thermal decomposition: Vapours may form explosive mixture with air. No decomposition if stored and handled as prescribed/indicated.

**Substances to avoid:**

strong oxidizing agents

Corrosion to metals: No data available.

**Hazardous reactions:**

No hazardous reactions if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated.

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

## 11. Toxicological Information

### Acute toxicity

Assessment of acute toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Genetic toxicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet  
Date / Revised: 13.03.2012  
Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

---

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

### Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

### Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

### Additional information

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. The product has not been tested. The statement has been derived from the properties of the individual components.

---

## 13. Disposal Considerations

Observe national and local legal requirements.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## 14. Transport Information

### Domestic transport:

Hazard class: 3

Packing group: III

BASF Safety data sheet  
 Date / Revised: 13.03.2012  
 Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

ID number: UN 1993  
 Hazard label: 3, EHSM  
 Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains SOLVENT NAPHTHA)

**Further information**

Hazchem Code:3Y  
 IERG Number:14

**Sea transport**

IMDG

Hazard class: 3  
 Packing group: III  
 ID number: UN 1993  
 Hazard label: 3, EHSM  
 Marine pollutant: YES  
 Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains SOLVENT NAPHTHA)

**Air transport**

IATA/ICAO

Hazard class: 3  
 Packing group: III  
 ID number: UN 1993  
 Hazard label: 3  
 Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains SOLVENT NAPHTHA)

**15. Regulatory Information**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) (Australia):

Poisons Schedule: Drugs &amp; Poisons, Schedule 5

Hazard symbol(s)

Xn Harmful.  
 N Dangerous for the environment.

R-phrases(s)

R10 Flammable.  
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R65 Harmful: may cause lung damage if swallowed.

BASF Safety data sheet  
Date / Revised: 13.03.2012  
Product: **MASTERFLEX PRIMER NO 1 (S)**

Version: 1.0

Classified as hazardous according to criteria of NOHSC

(30369707/SDS\_GEN\_AU/EN)

Date of print 13.03.2012

S-phrase(s)	
S2	Keep out of the reach of children.
S46	If swallowed, seek medical advice immediately and show this container or label.
S51	Use only in well-ventilated areas.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

### **Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

### **Registration status:**

AICS, AU released / listed

---

## **16. Other Information**

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 3:

Xn	Harmful.
65	Harmful: may cause lung damage if swallowed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.